

SC Duplex Adapter-Without Flange-(Metal Frame Shutter)

 fiberhk.com/

Sales No. 00601-XXX

MFG No. K2.SC2JF20.00601

Manufacturer: FiberHK

Product Category: SC



Describe: SC Duplex Adapter-Without Flange-(Metal Frame Shutter)

Applications

Applications

- Optical fiber communication system
- Optical Security, CATV, FTTx
- Local, Wide and Global Area Networks
- High EMI / RFI environments
- Racks and Panels / Server Rooms
- Test Equipment

Features

Features

- Low insertion loss
- Environmentally stable
- Good insertion/extraction life
- Easy installation
- High reliability

Standards Compliance

Standards Compliance

☑ ISO/IEC 11801

☑ ANSI/TIA-568 D.3

☑ ISO/IEC 24764/ TIA-942

☑ IEC-60874-14

☑ IEC 61754-4

☑ RoHS, REACH SvHC compliant

Tech & Mech Performance Value

Types: Duplex - 2 Fiber (Metal Frame Shutter)

Port Path: SC

Flange: Without Flange

Integrated/Split body: Welding

Frame Material: Plastics(ABS / PC+ABS / PBT)

Sleeve Material: ZrO2

Fragment Size: 1.8~2.0/Panel THK 1.6mm (Custom Supp)

Dust Cap Style: FS01~FS06 (See Image For Style)

Colour: Blue/Green/Turquoise/Beige (Custom Supp)

Magnitude: ≥ 500

Ambient temp. (operation): $-40^{\circ}\text{C} \sim +80^{\circ}\text{C}$

Ambient temp. (storage): $-40^{\circ}\text{C} \sim +85^{\circ}\text{C}$

Insertion Loss (dB): Typical $\leq 0.2\text{dB}$, Premium $\leq 0.10\text{dB}$

Repeatability: $\leq 0.10\text{dB}$


Interchangeability: $\leq 0.20\text{dB}$

Allowable engagement force: $<19.6\text{N}$

Tensile strength Of coupling: mechanism: 68.6N

Ordering Information

Product Name	MFR NO	Sales No	Shuttering	Material	Colour	Dust Cap style
SC Duplex Adapter-Without Flange-(Metal Frame Shutter)	K2.SC2JF20	00601	Metal Frame Shutter	01 ABS 02 PBT 11 PC/ABS	01 Blue (RAL5015) 02 Green (RAL6029) 03 Turquoise 04 Beige (RAL 1013) 16 magenta 11 Purple Color Customization Supported	FS01 Gourd Style FS03 T-shaped Style FS04 Locking Style FS06 Regular Style See image for style↓





! Dust Cap is standard black and can be customized or matched to the product color.


Product Specifications

Detailed packaging and shipping information

Blister Box



Corrugated Carton



Dimensions

46x36x33 cm
(LxWxH)

Net Weight

17.122 Kg
Product Only

Gross Weight

19.53 Kg
With Packaging

Packaging

Inner Packaging: Blister Box

Outer Packaging: Corrugated Carton

Specification	Unit	Value	Remarks
Unit per Blister box	pcs	20	Transparent Thermoformed Box
Units per Carton	pcs	2000	100 Blister Boxes
Carton Size	cm	46×36×33	Corrugated Carton
Pallet Size	cm	120×80×150	EU Standard
Cartons per Pallet	ctns	36	Max. 6 layers

[Product Specification \(PDF\)](#)

Product Drawing (PDF)

PRODUCT COMPLIANCE STATEMENT

CONFLICT MINERALS POLICY